



ANTIQUED

KENTWOOD™
ORIGINALS

ANTIQUED

Kentwood Originals Antiqued series offers a unique balance of character and sophistication. Its wide plank styling and gently sculpted surface create a lightly distressed impression, while the low luster finish adds a note of elegance. Offered in a wide selection of species and colors. Some styles are available in both solid and engineered options.



OAK PIONEER / SOLID

BOARDS SHOWN ACTUAL SIZE

SPECIFICATIONS


SOLID ANTIQUED

- 5" (125mm) wide, approx 3/4" (18mm) thick
- assorted lengths to approx. 60" (1500mm)
- wear layer sanded and sculpted to create 'antiqued' effect
- high performance low luster polyurethane finish

ENGINEERED ANTIQUED

- 5" (127mm) wide, 9/16" (14.2mm) thick
- assorted lengths to approx 48" (1200mm)
- all-wood engineered construction
- 'antiqued' wear layer of genuine hardwood
- high performance low luster polyurethane finish

MAPLE REDONDO / ENGINEERED





BIRCH FARRINGTON



MAPLE TACOMA **



BIRCH ROSARIO*




MAPLE TILLAMOOK



BIRCH SORRENTO



OAK COCO MOUNTAIN



MAPLE COCO MOUNTAIN **




OAK DARKNELL




MAPLE PIONEER **



OAK NATURAL **



MAPLE REDONDO **



OAK PIONEER

*Solid only **Engineered only All other styles available as solid and engineered.

KENTWOOD™
ORIGINALS

Kentwood Originals continues the legacy of Kentwood’s founding collection of wood floors, with a proven selection of popular styles all offering Kentwood’s signature values: the natural beauty of genuine hardwood, premium quality milling and manufacturing, and excellent value.



Kentwood Originals **Antiqued Oak Darknell** is shown in La Belle Fleur, one of the multi-million dollar showhomes on the 2007 Street of Dreams in Seattle, Washington, USA. To see more inspiring installations of Kentwood products, please visit kentwoodfloors.com.

INSTALLATION OPTIONS, SOLID ANTIQUED

Nail or staple down; on, or above grade. Not for use with radiant heat systems.

	ABOVE GRADE YES				
	ON GRADE YES	NAIL	GLUE	FLOAT	RAD HEAT
	BELOW GRADE NO	YES	NO	NO	NO

INSTALLATION OPTIONS, ENGINEERED ANTIQUED

Nail, glue down or float; on, above or below grade.

May be glued down or floated over radiant heat (selected species only; must follow Kentwood Special Instructions).

	ABOVE GRADE YES				
	ON GRADE YES	NAIL	GLUE	FLOAT	RADHEAT
	BELOW GRADE YES	YES	YES	YES	YES

WARRANTY

All KENTWOOD ORIGINALS products carry a 25 year residential wear warranty. For complete installation instructions, warranty information & product specifications please visit kentwoodfloors.com.

KENTWOOD ORIGINALS floors are made from real wood, not a manufactured imitation. Because wood is a natural material, every piece of KENTWOOD ORIGINALS flooring will have a unique appearance, often with naturally-occurring variations in color, texture and grain pattern. Showroom samples and photographic reproductions can give an example of the product’s appearance but they may not be representative of the full range of color, texture and grain variations which can occur in the product itself. The product images on this chart are intended for reference only and should not be considered as representative of the product’s actual appearance. Note: Product selection may vary by area. Product selection and specifications are subject to change without notice. The trade-marks KENTWOOD ORIGINALS and KENTWOOD are owned by Kentwood Floors Inc. and are used under license.