



## BRUSHED HICKORY RIVERSIDE



|                         |  |
|-------------------------|--|
| <b>Brand</b>            | <b>Kentwood Collection</b><br><br>Acacia, hickory, maple, oak, and walnut wide-plank and herringbone flooring characterized by on-trend colors and cutting edge finishes.<br><br><a href="#">Learn more</a>  |
| <b>Collection</b>       | <b>Kentwood Collection: Hometown</b><br><br>**While maintaining recommended levels of heat and humidity is important for all hardwood floors, it is imperative for species like hickory and acacia, which react more severely to environmental changes. For hickory and acacia flooring, relative humidity must be maintained at 30-50% at all times, as specified by the NWFA. If these conditions cannot be met and maintained, alternate flooring options should be considered.**<br><br><a href="#">Learn more about this collection</a> |
| <b>Species</b>          | Hickory  |
| <b>Platform</b>         | Engineered   |
| <b>Dimensions</b>       | 9 1/2" x 5/8" x assorted up to approx.86" nominal<br>240mm x 15mm x assorted up to 2200mm  |
| <b>Veneer Type</b>      | Sawn   |
| <b>Veneer Thickness</b> | 4mm  |
| <b>Visual Variation</b> | High   |

|                                |   |
|--------------------------------|---|
| <b>Natural Characteristics</b> | High  |
| <b>Finish</b>                  | High performance polyurethane with aluminum oxide   |
| <b>Product Features</b>        | Long Boards, Extra Wide Planks, Alchemic Stain, Brushed                                     |
| <b>Installation Method</b>     | On, above or below grade. Nail, glue down or float. May not be installed over radiant heat. |
| <b>Warranty</b>                | 35 year residential wear, 5 year light commercial wear                                      |
| <b>Box Contents</b>            | 28.42 sqft  |
| <b>Product Code</b>            | 32267   |
| <b>Eco Attributes</b>          | GREENGUARD Gold Certified, CA Section 01350 Compliant                                       |

kentwoodfloors.com